part I

1953/54 **File No.** NS. 209

C CLASS. P.W. **DEPARTMENT**

A **BRANCH**

Subject:— Supply of Stationery articles

C [K] 1954

P. 33/(E)

part: I

File No. NS 209 A Br.

Ltd. Scott. Slip. 24 A

G. R., G. D., No. 2408, dated 22-6-22.]

Correspondence

DOCKET SHEET

Subject :—

File No. NS 209

P W. DEPT.

A BRANCH.

& Spirits

References :— Separated from the main file C[M]

Date.	To whom sent.	Notes and instructions.

Std. Sectt. 78 e.

G.R., G.D., No. 2408, dated 22-6-22.]

Correspondence

DOCKET SHEET

Subject :—

File No. NS 209

C P W. DEPT.

A BRANCH.

& Copies

References :— Separated from the main file C[M]

Date.	To whom sent.	Notes and instructions.

15

NS209
101835.
P.W.D

A Br

Submitted.

P.13.

A | 2) In the circumstances explained by the Chief Engineer
B.E.G. sanction may be accorded to the
supply of a policy size typewriter for the office
of the Asst. Engineer (Electrical & mechanical) at Hukeri.

3) The D.D/F.D. may see U.O. before the
necessary draft is put for approval.

VM
5-9-53

U.S.

Lr
by

Issue with D.D
7.0. 9-9-53

Lr 21/9

(20-10-53)

DD

PWDNS209/101835 A
E 53530
19/9/53

the proposal made by the PWD
at 'A' above may be agreed to.
These pps. may be passed on to

F.D
16/9/53

A.S

21/9

← F.D dated 21/9

W. D.
No. NS209
I No. 113909.

Arsp
17
28 9 53
SK
29/9

Finance Dept. III.

Seen and return to the P.W.D.

24/9/53.

Please return

A.S. (F)

U.O.R. to the P.W.D. dt.
24-9-53.

NS209/113909

A Br.

P.W.D.

Submitted with ref. to this Dept U.O. dated 9-9-53, overleaf.

2. The D.A/F.A. having agreed to this Deptt proposal, the draft put up for approval, may issue

10-53

15/7+17

19/10/17

4

4) S209/84688

PWD

A

P1-3-65.

Please see letter at. the 25-6-1954 from the Chief Engineer Bibar Electric Grid which fully explains the case

2/- For the reasons stated in his letter within P1-3-65 the C.E. proposes to provide bicycles at the following places :—

Name of Power House	No. proposed	Length of distribution lines	No of towns to which power is supplied
1) Bailhongal	2 bicycles	4 Miles	nil
2) Hukeri	6 "	57 "	5 towns
3) Dharwar	4 "	33 "	3 "
4) Guledgud	6 "	33.7 "	5 "
5) Ilkal	3 "	12.5 "	2 "
	21 bicycles		

3/- In case of serial item no 1 above as the length of distribution lines is only 4 miles & the power is not supplied to any town, if appd only one bicycle may be sanctioned for Bailhongal Power House. Similarly, in case of item No 5, as the length of distribution of lines is 12.5 miles only, & only two towns are supplied with energy it is for consideration whether only 2 bicycles instead of three may be sanctioned. In other cases, (items 2, 3, & 4) the proposals of C.E. may be agreed to.

4/- Before however, the proposal is agreed to D.D. & F.D. may see these papers w. for concurrence

The Secy & BA

5.

S&N 7/7/54

Spare 6 be left

P1-3-65

D.D. + F.D.

4/7/54

5. As regards funds, please see para. 6 of the C.E., B.E.G.'s letter at pp. 2/3 C/s

DEVELOPMENT DEPARTMENT
PWD 5205/84688
File No.
Serial No. F 729/0
Date 13/7/54

8/7/54

U.O. to the D.D. & F.O dtd 12th July 1954

Issued
10/7/54

This Deptt. may agree to the supply of 16 bicycles as shown in pencil at p2-C. The expenditure involved in the grant proposed is debitable to the Electric Grid offices. These ppr. may be passed on to the F.D

15/7/54.

Is 'A' in p2/c correct?

16/7

Resubmitted x
2 In GR, D.O No. PST 3353-E, dated 22/10/1953, the expenditure on petty repairs to office bicycles has been restricted to Rs 5/- per bicycle during a year. The position marked 'A' on p2-C refers to cycle allowance. The expenditure incurred on petty repairs to bicycles is to be met by the grid offices

from their 3/ grants 19/9 In case any
part or accessory is required
for a bicycle, the D.P.S supplies
it to a Post office. It is not
known whether cycle allowance granted
by the Electric Grid offices is
only for the purpose of carrying
out petty repairs to the bicycles.
If it is so, the amount will
have to be reduced to Rs 5/-/-
per annum per bicycle. The Deptt.
may consider the point in question.
That point however does not affect
the proposal of the Electric Grid
offices which may be agreed
to as proposed in office note
at opposite page. These pps. may
be passed on to F.D

19/7/54.

A

A3(M)

19/7

Note to F.D 22/7/54.

F.D. (III)

The P.W.D. proposal may be accepted as amended by the D.D

2 As regards 'A' above, it may be stated that the cycle allowance is given as conveyance allowance to those Govt- servants who are required to tour, within a limited sphere, in the discharge of their duties. It is not given for carrying out petty repairs only. This allowance is given by grid offices only. The offices in this connection are under this Deptt. The question of reducing the same to Rs 5/- Per Annum per cycle does not therefore arise

J.M.S

29-7-54.

FINANCE DEPARTMENT
File No. III
Date 23-7-54
Serial No. 15391

P. W. D.
File No. S2091
Serial No. 105283

Pr. XVII
see.

S 209 | 105283

ABr

P.W.D.

Submitted with reference to the
O.N. of the 7/7/54
2/- The DD & F.D. have sanctioned
16 bicycles against the CE's demand for
21 bicycles. Necessary draft put up may issue
After issue of the draft, the papers may be
returned to DD. with reference to the F.D's note.
of endorsement
8/9/54

Thro' N Br & B Br

7/9/54 to Br with draft

11.9.54

H.O. of the D.D. dt: 17 Sept: 1954

Issued
17/9/54

DEVELOPMENT DEPARTMENT
PWD S 209/105-283
File No. 83118
18.9.54.

Seen and returned to P.W.D

21/9/54

to P.W.D

dated 22.9.54

P. W. D.
File No. S 209
Serial No. 127088

S209/127088
PWD

Submitted w/r to this Deptt's foregoing. The D.D. has seen the ppr.
Record.
21/9/54

28/9/54

Record
28/9/54

Supdt.

5 55

5209/133419
PWD.

A Br

Submitted plants

2 Necy. action has been taken on 6/10/54 under G.M. No. S 209/12856

Record

8/10/54

8/10/54

Supdt.

Record
8/10/54

G.R.K.—(I) M/11-1,50,000-10,54
G.R.,M.I.,G.D., No. 2990/38,dated 29-12-10.]

Mkt. Mis. 58 c.

SEPARATOR

C E R T I F I C A T E.

CERTIFIED that one Policy size Typewriter as indented for is absolutely essential for proper working of the office of the Assistant Engineer(E & M), Hukeri.

Chief Engineer.

Bedekar.
28.8.53.

Ex 3

INDENT FOR THE SUPPLY OF A TYPEWRITER.

1. Name of Department/Office using the machine.	ELECTRIC GRID DEPARTMENT.
2. Purpose for which the machine is required.	For office use.
3. Whether it is required for-	
a) Replacement.	
b) Addition.	
c) Initial supply.	Initial supply.
4. Specification of the machine.	Policy size.
5. No. of machines in use.	Nil.
6. Consignee's name	Assistant Engineer, (Electrical & Mechanical).
7. Detailed address.	Power House Construction, Hukeri sub-division, Dist:-Belgaum.
8. Name of the Railway station.	GHATAPRABHA.

Bedekar. 28.8.53.

29/8/53
Chief Engineer.

13 — 5 —

LETTER:

No.G-6(S)/HKR/ 32633
Electric Grid Department,
Mercantile Bank Building, Fort,
Bombay 1: 31. August, 1953.

To
The Secretary to Government,
Public Works Department,
Bombay.

Subject:- Requirement of a typewriter for Electrical & Mechanical Sub-Division at Hukeri, District:-Belgaum.

I am to state that a sub-division for the construction, operation and maintenance of power schemes at Hukeri, Gokak, Sankeshwar, Chikodi and Koinnur towns has been recently opened at Hukeri in-charge of an Assistant Engineer.

2. There is sufficient regular routine correspondence and statements etc. are required to be prepared for load, Operation & Maintenance Service connection and weekly reports etc. The number of outward references, though small at present due to the fact that the opening of the power house at Hukeri has started only recently, is on the increase. But no statement as required by para 115 of the Bombay Printing & Stationery Manual could be given. Ordinarily a typewriter is admissible to a sub-divisional office, the officer in-charge of which is a gazetted officer. In similar cases Government have sanctioned the supply of typewriters to the offices of the Assistant Engineer(Electrical & Mechanical), Ratnagiri and Assistant Engineer(Electrical & Mechanical), Vengurla vide Government Public Works Department No.S.181/12/70597-A(I) dated 30-12-48.

* will be put up if necessary

3. Further a reference is invited to Government, Public Works Department Resolution No.A 7000, dated 8th July 1913 wherein Government has prescribed one typewriter for each sub-divisional office.

* will be put up if required.

4. I am, therefore, to request you to be so good as to move Government to sanction a Policy size typewriter for the office of the Assistant Engineer(Electrical & Mechanical) Hukeri.

P.T.O.

Necessary indents and certificate of essentiality

are attached.

T.S. Macmillan
29/8/53
Chief Engineer.

Encl:-As above.

Bedekar.
28.8.53.



31-8

Letter #7

No. NS209/113909 A.

P.W.D.
B.C. (Bombay 1),
19th October 1953.

To
The Chief Engineer,
Bombay Electric Grid ~~Department~~,
Bombay 1.

Subject: ~~Supp~~ Requirement Supply of a typewriter for the Electrical & Mechanical Sub-Division at Hukeri, District. Belgaum.

Ref your letter No. G-6(S)/HkR/32633, dated the 31st August 1953 p13

2. Sanction is accorded to the supply of a Policy size typewriter for the office of the Assistant Engineer (Electrical & Mechanical) Sub-Division at. Hukeri.

D.A:- Nil

By order etc

A.S. to Govt. P.W.D.

Copy forwarded to

The D.A.D. (with copy of indent in triplicate) 3, 5, 7
The F.D.
The A.G. Bombay (through the F.D.)
~~The Assistant Engineer (Electrical & Mechanical), Hukeri. Dist. Belgaum~~

The ~~Co~~ Dir. Govt. Printing & Stty, Bombay (with a copy of indent).

2. The Director is requested to despatch the typewriter direct to the ~~office concerned~~ Asst. Engineer (Electrical & Mechanical) at Hukeri, Dist Belgaum.

16/10

Letter.

No.NS 209/113909 A.

Public Works Department,
Bombay Castle(Bombay No.1),
19th October 1953.

To

The Chief Engineer,
Bombay Electric Grid, Bombay 1.

Subject:- Supply of a typewriter for the Electrical and Mechanical Sub-Division at Hukeri, District Belgaum.

.....

Reference: Your letter No.G-6(S)/HKR/32633, dated the 31st August 1953.

2. Sanction is accorded to the supply of a policy size typewriter for the office of the Assistant Engineer (Electrical and Mechanical) Sub-division at Hukeri.

By order and in the name of the Governor of Bombay,

Assistant Secretary to the Government of Bombay,
Public Works Department.

D.A.:-Nil.

Copy forwarded to -

the Development Department (with copies of indent in triplicate),
the Finance Department,
the Accountant General, Bombay (through the Finance Department)
the Director, Government Printing and Stationery Bombay (with copy of indent).

Orders issued after consultation with DD & FD Department. Notes remain with this Department and can be seen when required.

ISSUED DA
Date 20/10
KW/19-10-53.
6.

2. The Director is requested to despatch the typewriter direct to the Assistant Engineer (Electrical and Mechanical) at Hukeri, District Belgaum.

27

PST. 3153/60458-E,
Development Department,
Secretariat Annexe,
Bombay 1, 28th October 1953.

To

The Director,
Government Printing and Stationery,
Bombay.

Subject :- Typewriters.
Supply of - Indent for,

Sir,

An indent in duplicate received from the Public Works Department for supply of one policy size typewriter to the office of the Assistant Engineer (Electrical and Mechanical) Hukeri Sub-Division is forwarded herewith for compliance.

Yours faithfully,

Assistant Secretary to the Government of Bombay;
Development Department

Copy forwarded for information to :-
the Assistant Engineer, (Electrical and Mechanical) Power House Construction, Hukeri Sub-Division, Ghataprabha Railway Station, Belgaum District.

the Public Works Department.

K/28/10.

A Bon

P.W.D

Submitted for information

Recom

9-11-53

S/F. No. 7/16 9/11

A.S(III) 11/11 9/11

13909

A3LV

F.P.



2/16

A

30-11-53

B

Letter.

No. NS 209/68802 A.

Public Works Department,
Bombay Castle (Bombay No.1)
18th August 1951.

To

The Chief Engineer, Bombay Electric Grid.

Subject: Supply of cash boxes.

Reference: Your letter No. G.23/S/34/20055 dated 14th July 1951.

2. Sanction is accorded to the supply of 10 cash boxes (medium size - 14" x 10" x 6") by the Central Stores Purchasing Officer at the rate of Rs. 60/- each for the office of each of the ten Power Houses detailed below:-

(1) Junior Engineer, Power House, Chiplun.

(2) Junior Engineer, Power House, Malvan.

(3) Junior Engineer, Power House, Islampur.

(4) Officer-in-charge, Electric Grid Office, Baroda.

(5) Electrical Supervisor, Gandevi Power House, Gandevi.

(6) Electrical and Mechanical Engineer, Radhanpur.

(7) Electrical and Mechanical Engineer, Bansda.

(8) Electrical and Mechanical Engineer, Rajpipla.

(9) Electrical and Mechanical Engineer, Mansa.

(10) Electrical and Mechanical Engineer, Chotta Udepur.

By order of the Governor of Bombay,

Sd/- S.V. IYER,
20/8/51.
Assistant Secretary to the Government of Bombay,
Public Works Department.

D.A.: Nil.

U.O. stamp to D.D./F.D.

Copy forwarded to -

the Development Department,

the Finance Department,

the Chief Engineer, Public Works Department,

the Accountant General, Bombay,
(through the Finance Department),

the Central Stores Purchasing Officer,

2...

12

2. The Central Stores Purchasing Officer is requested to supply the cash boxes direct to the officers concerned. The cost on account of the supply should be debited to "43-Industries- G - Cost of Stores Purchased for other Officer"

Issued.
Id/-
20/8/51.

MDS.
21-9-56.

L I S T.

Name of Division.	Safes.		Cash Boxes.	
	30" x 24" x 24"		14" x 10" x 6"	
	Divn.	Sub-Divn.	Divn.	Sub-Dn.
1	2		3	
1. Executive Engineer, (Operation & Maintenance) Nadiad.	1	-	1	4
2. Executive Engineer (Civil), Hubli.	1	4	1	4
3. Executive Engineer (Civil), Chola.	1	-	1	-
	3 Plus	4	3 Plus	8

MDS.
21/9/56.

Letter.

No.G.23/S/34/3081
Electric Grid Offices,3rd flo
Mercantile Bank Building, For
Bombay 1: 3rd January 1952

To

The Secretary to the Government of Bombay,
Public Works Department,
Bombay.

Subject: Safes, Cash Chests -
Sanction of -

...

I have to invite a reference to the Government Resolutions, Public Works Department No. 9088/36, dated the 18th November 1948 & No. 1209/48, dated the 12th December 1950 and No. 1184/48, dated the 2nd January 195 and to state that the creation of three divisions and 8 sub-divisions under them as per list attached have been sanctioned by the Government and the same have started functioning.

2. These Division Offices will be operating the drawing account very shortly, though at present they hav imprests and as such it is quite essential to supply the Safes and cash boxes as shown against each division for keeping cash safe and making payments to labour and establishment at various head-quarters.

3. I am, therefore, to request that Government m kindly be moved to accord sanction for supply of Safes & Cash Boxes as shown in the list attached through the Director of Industries and Stores Purchasing Officer, Bombay, as sanctioned in case of Power Houses vide Government Letter Public Works Department No. NS/2090 68802-A of 18-8-51.

4. The approximate expenditure on this account wi be Rs. 5105/-.

5. The charge of Rs. 5105/- is debitable to the Head "43-Industries F cost of stores purchased for other offices under the control of the Director of Industries, Bombay.

Id/-
31-1-52.
Chief Engineer.

Encl: 1 list.

Copy to :-

1) The Executive Engineer (C & M), Nadiad.

2) The Executive Engineer (Civil), Hubli.

3) The Executive Engineer (Civil), Chola Office.

--oOo--

MDS.
21-9-56.

NS. 209/18464.

Letter.

No. NS. 209/18464-A.

P. W. D.
B.C.(B'bay No. 1),
3rd March 1952.

To

The Chief Engineer,
Bombay Electric Grid.

Subject: Supply of safes, cash boxes -
Sanction to the -

Reference: Your letter No. G. 23/S/34/3081, dated the 31st January 1952.

2. It is not possible for the Director of Industries and Stores Purchasing Officer, to supply safes and cash-boxes during the current financial year, as his grant under the head "43-Industries - G - cost of Stores purchased for other offices" is exhausted. You are accordingly requested to resubmit your proposals for the supply of the articles in question during the next financial year.

By order of the Governor of Bombay,

Assistant Secretary to Government
Public Works Department.

D.A. Nil.

Issued.
Id/-
4/3/52.

Id/-
25.2.52.

Letter.

No. G-23/S/34/13504
Electric Grid Offices,
Mercantile Bank Building,
Bombay 1: ~~1st~~ 10th May, 1952.

To

The Secretary to the Government of Bombay,
Public Works Department.
Bombay.

Subject: Supply of Safes, Cash Boxes.
Sanction of -

...

I am to invite a reference to the correspondence resting with Government P.W.D. Letter No. NS. 209/18464-A of 3rd March 1952 on the subject mentioned above and to request that Government may kindly be moved to accord their sanction for supply of safes and cash boxes as requested in this office letter No. G-23/S/34/3081 of 31-1-1952.

Id/-

For Chief Engineer.

Copy forwarded for information to :-
The Executive Engineer (Civil), Hubli.
The Executive Engineer (Civil), Chola.
The Executive Engineer (Operation & Maintenance), Nadiad.

LETTER.

No. NS 209/54355-A.

Public Works Department,
Bombay Castle (Bombay No.1)
17th June 1952.

To

The C.E., B.E.G.

Subject: Supply of safes and cash boxes.

Reference: Correspondence resting with your letter No. G-23/S/34/13504, dated the 10/5/52.

2. If cash-boxes and safes are restricted to Divisiona offices and only cash-boxes to Sub-Dnl. Offices, please report the exact No. of articles (safes and cash-boxes) that would be required.

3. Please also report why you propose to supply 4 safe and 4 cash-boxes to the Sub-Dnl. Offices under Ex. Engr. (Civil) Hubli, and why only 4 cash-boxes to the Sub-Dnl. Offices under Ex.Engr. (Operation and Maintenance) Nadiad.

By order etc.

D.A: Nil.

A. S. to Government.
P.W.D.

Id/-
13/6/52.

Issued.
Id/-
18/6/52.

Letter.

No. G-23/S/34/25239.
Electric Grid Offices,
Mercantile Bank Building, Fort,
Bombay 1: 21st August, 1952

To

The Secretary to the Government of Bombay,
Public Works Department,
Bombay.

Subject: Supply of Safes and Cash Boxes.

Reference: Govt. P.W.D. Letter No. NS/209/54355 A of 17th June 1952.

With reference to the Government letter referred to above, I am to state that the requirements of Cash Boxes and Safes for use in Divisional Offices and Sub Divisional Offices have been based on the actual requirements also considering their needs when they are required to move outside their headquarters.

2. The Sub-Divisions working under the Executive Engineer (Civil), Hubli, should have one Safe and one Cash Box for Sub-Division as the Executive Engineer (Civil) Hubli, proposes to give drawing accounts to all the Sub-Divisions, to enable them to make payments to the departmental labours, work-charged establishment at site of Works in the interests of work.

3. Sub-Divisions under other two Divisions viz. Chola and Nadiad do not move out from their Head-Quarters and they have to handle cash within few hundreds for making petty payments of Railway freights etc. for whom Cast Boxes are sufficient.

4. I am, therefore, to request that the requirements of Safes and Cash Boxes as already intimated under this office letter No. G-23/S/34/3081 of 31-1-1952 may kindly be approved and necessary sanction accorded at an early date.

Id/-
20/8/52
Chief Engineer.

Copy to :-

(1) The Executive Engineer (Civil), Chola.

(2) ....

(2) The Executive Engineer (Civil), Hubli.

(3) The Executive Engineer (C & M), Nadiad.

MDS.
20/9/56.

Letter.

No. NS·209/73916. A.

Public Works Department,
Bombay Castle (Bombay No.1),
29th June 1953.

To

The Chief Engineer, Bombay Electric Grid.

Subject: Supply of safes and cash-boxes.

Reference: Correspondence ending with your letter No. G. 23/8/34/13511, dated the 11th April 1953.

2. Sanction is accorded to the supply of 3 safes and eight cash-boxes for the Divisional and Sub-Divisional offices detailed below -

Name of the Division.	Safes 30" x 24" x 24" (Size)		Cash boxes. 12" x 10" x 6" (Size)	
	Division	Sub-Division	Division.	Sub-Division
1. Executive Engineer (Operation and Maintenance) Nadiad.	1	-	-	4 (one each for a sub Division)
2. Executive Engineer (Civil) Hubli.	1	-	-	4 (one each for a sub Division)
3. Executive Engineer (Civil) Chola.	1	-	-	-
	3	-	-	8

3. The expenditure should be debited to the budget head "52-A-Other Revenue Expenditure Connected with Electricity Schemes-I-Establishment" and should be met from the current year's sanctioned grants under that head.

4. The safes and cash boxes should be purchased through the Director of Industries and Central Stores Purchasing Officer.

By order and in the name of the Governor of Bombay,

Sd/- S.R. Desai.

Assistant Secretary to the Government of Bombay,
Public Works Department.

Copy .....

Copy forwarded to -

the Development Department,

the Finance Department,

the Accountant General, Bombay (through the Finance Department),

the Director of Industries and Central Stores Purchasing Officer,

the Executive Engineer, (Operation and Maintenance) Nadiad,

the Executive Engineer (Civil) Hubli,

the Executive Engineer (Civil) Chola.

2. The Director of Industries and Central Stores Purchasing Officer is requested please to supply the articles in question direct to the officers concerned.

MDS.
21/9/56.

exped 21-9

Letter

No. 12345
Electric Grid Offices,
Mercantile Bank Building, Fort,
Bombay 1: 25 June 1954.

To

The Secretary to Government,
Public Works Department,
Bombay.

Subject:- Electrification Schemes
Conveyance for the use of
supervisory staff.

Government is already aware that the electrification schemes of the towns of Hukeri and Guledgud have been completed and are now in operation supplying power to the local public of the towns of Hukeri, Chikodi, Gokak, Konnur, Sankeshwar, Guledgud and Kamatgi. The electrification schemes in respect of Bailhongal, Dharangaon and Ilkal are also expected to be completed in the near future.

2. It is now felt that a stage in regard to these schemes has reached when it is considered necessary to move Government to provide some suitable conveyance for the use of staff of this Department for the efficient and satisfactory operation and maintenance of the schemes. The provision of conveyance on that account does not require any elaborate justification. Besides frequent and regular supervision of lines, whenever there is failure in power supply the fault has to be located and the line staff has to be moved to the fault in the least possible time to ensure quick restoration of supply. The net work of distribution lines in these towns usually extend to many miles and without conveyance smooth working of the system cannot be ensured and difficulties will be more felt in times of emergency

3. It is therefore proposed to provide bicycles at each place as shown below:-

P.T.O.

Name of Power House.	No. proposed.	Length of distribution lines.	No. of towns to which power is supplied.
1) Bailhongal.	2 bicycles	4 miles.	Nil.
2) Hukeri	6 "	57 "	5 towns
3) Dharangaon	4 "	33 "	3 "
4) Guledgud	6 "	33.7 "	5 "
5) Ilkal	3 "	12.5 "	2 "
	21 bicycles		

1
5
3
5
2
16

4. The bicycles at each Power House proposed in para 3 above will be mainly used by the following category of staff:-

i) Junior Engineer working in the Power House.
ii) Line foreman.
iii) Lineman.
iv) Wireman.
v) Meter Reader.
vi) Bill collector.

5. The alternative of granting bicycle allowance to the staff has also been fully considered but it will not be a suitable proposition as some bicycles at each station will have to be provided at Government cost for use by any one in the emergency of power ~~xxxxx~~ outage. The staff employed in the Power Houses will be reluctant to have their own bicycles as the general wear and tear is heavy and the sanctioned rate of cycle allowance viz. Rs.4/- per month is insufficient to cover the upkeep of bicycle besides the initial expenses incurred in purchasing a bicycle. Not only this but it would be very hard for the staff to go in for bicycles even when loans are granted to them by Government which when recovered in monthly instalment will affect their regular monthly income. It is therefore not advisable to burden them in this way when the low paid employees are already passing through hard times and are unable to meet their bare necessities from their present salaries.

A

6. The cost involved in purchasing the cycles

would be approximately Rs.5250/- and the same will be debited to the running expenses under the head "XLI Receipts from Electricity Schemes - Deduct working Expenses - Operation & Maintenance - on electricity schemes concerned" after Government sanction to purchase is received.

I shall be obliged for early orders of Government in the matter.

T. J. Nicholson
Chief Engineer. 25/7/54.

K 25/6

D.A. Nil.

MAK/25.6.


P. W. D.
File No. S-209
Serial No. 84688

5209/105283

No. S209/105283A

P.W.D
B.C. (B'bay No 1)
15th Septr. 1954

Subject Electrification Schemes —
Conveyance for the use of
Supervising Staff.

Sir,

I am directed to refer to the Chief Engineer, B'bay Electric Grid's letter No. 123415, dt. the 25/6/54 on the above subject and to convey sanction to the purchase of 16 bicycles, as detailed below, for the D.S.P.S. B'bay.

Name of the Power House.	No of bicycles sanctioned
1). Bailhongal	1
2) Hukeri	5
3) Dharangaon	3
4) Guledgud	5
5) Ilkal	2
	16

2. The cost shd. be debited to the budget head "XLI - Receipts from Electricity — Schemes" under the detailed working Expenses - Operation & Maintce on electricity schemes, concerned & shd be met from the (current year) Sanctioned grants for each scheme, wherever

B.O. etc

A.S. to the Govt of B.

Copy

Copy forwarded to
The Dep. Debt
The F. D.
The A.J. Bibby (thro' the F.D).
The Director of Sat. Plg & Stalling
for information

y exp. stamp

8/9/39

Issue - exp. stamp 15 A 0 + 70

14/9



L G 21
15/9


Orders issued after consultation with
Dep of Finance Department.
Notes remain with this Department and
can be seen when required.

Record

1 7)

3'

LETTER: No.G-6/S/DRN GLG/37358

Electric Grid Department,
Mercantile Bank Building, Fort,
Bombay 1: 5 Octo. 1954.

To

The Secretary to Government,
Public Works Department,
Bombay.

Subject:- Supply of typewriters for the sub-divisions at Dharangaon and Guledgud.

Reference:- This office letter No.G-6/S/DRN GLG/29504 dated 6-8-54.

Please refer to this office letter mentioned above and expedite the sanction for two typewriters as requested in the letter under reference.

VVB/1/10/54.

For Chief Engineer.


P. W. D.
File No. S 20
Serial No. 1339
8/10
6-10-54